



KOMELON

DISTRIBUTION CENTER EUROPE

INDEX

Click on any category below to jump directly to the products you're looking for and explore the full Komelon range with ease.

TAPE MEASURES →



LONG TAPES →



CUTTER KNIVES →



SAWS →



MEASURING WHEELS →



OTHER →



TAPE MEASURES

Komelon tape measures are built for accuracy, durability and ease of use. With clear markings and smooth retraction, they're made to deliver reliable performance on any job.



Our range offers the right tape for every task - from compact everyday use to heavy-duty construction work.

Click on any product from the sub-categories below to jump directly to the product you're looking for.

Extreme Standout Tapes



Extreme Standout

Magnetic Tapes



Pro Mag



Mag XT



Powerblade II



Maggrip Dublx / Maggrip Extra



Gripper Magjacket

Power Tapes



Compact



Powerblade II



Pro Ergo-R



Eco Chrome



Eco



Pro Ergo-C



Pro Ergo



Gripper



Combi Pro



Handy



Pro XT

Self Lock Tapes



Self Lock Evolution



Self Lock

Special Tapes



Led Light

Stainless Steel Tapes



Inox Powerblade II



Inox Rubber

EXTREME STANDOUT TAPES

EXTREME STANDOUT



- 3.7m True standout
- 32mm Wider blade
- Nylon coating helps the scale last longer



| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|--------|----------------|
| PWB52 | 5m | 32mm | (4) 24 | 8803005 002046 |
| PWB82 | 8m | 32mm | (4) 24 | 8803005 002053 |
| PWB102 | 10m | 32mm | (4) 24 | 8803005 002169 |



MAGNETIC TAPES

PRO MAG



- Ultra compact case
- Built in case magnet
- Engineered for Metal Surfaces

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|--------|----------------|
| MPR55 | 5m | 25mm | (5) 40 | 8803005 003197 |
| MPR85 | 8m | 25mm | (5) 40 | 8803005 003388 |

MAG XT



- 0.135mm blade thickness (Raw material)
- Superior straightness & standout
- Nylon coating helps the scale last longer
- Magnetic end hook (MAG-XT)

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| MPJT55 | 5m | 25mm | (10) 40 | 8803005 001476 |

POWERBLADE II



- Powerblade for maximized blade durability
- High-visibility blade for easy reading with double-sided printing
- Magnetic tip for easy one-person measurement

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|--------|----------------|
| MPT57 | 5m | 27mm | (8) 32 | 8803005 879501 |
| MPT87 | 8m | 27mm | (8) 32 | 8803005 879600 |

MAGGRIP DUBLX / MAGGRIP EXTRA



- Nylon coating helps the scale last longer
- Magnetic tip for easy one-person measurement
- Impact-absorbing rubber protects case and button
- Extra wide nylon coating blade (32mm)

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| MD36 | 3m | 16mm | (10) 40 | 8803005 327002 |
| MD59 | 5m | 19mm | (10) 40 | 8803005 327804 |
| MD55 | 5m | 25mm | (10) 40 | 8803005 328610 |
| MD85 | 8m | 25mm | (10) 40 | 8803005 329105 |
| MX52 | 5m | 32mm | (8) 16 | 8803005 327705 |
| MX82 | 8m | 32mm | (8) 16 | 8803005 328306 |

GRIPPER MAGJACKET



- Ergonomically designed impact absorbing rubber jacket protects case and tip
- Magnetic tip for easy one-person measurement
- Nylon coating helps the scale last longer

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| PMJ55 | 5m | 25mm | (10) 40 | 8803005 319939 |
| PMJ85 | 8m | 25mm | (10) 40 | 8803005 319724 |

POWER TAPES

COMPACT



- Reinforced hook
- Double-sided scale printing
- Nylon coating helps the scale last longer

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| PCT55 | 5m | 25mm | (10) 40 | 8803005 003067 |
| PCT85 | 8m | 25mm | (10) 40 | 8803005 003074 |

POWERBLADE II



- Compatible with QuickDraw universal tape measure holster
- Automatic blade lock, push button retrieval
- Ergonomically designed case provides easy to hold grip

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|--------|----------------|
| PPT57 | 5m | 27mm | (8) 32 | 8803005 878825 |

PRO ERGO-R



- Nylon coating helps the scale last longer
- Bottom button to pause the blade in use
- Ergonomically designed case provides easy to hold grip

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| PER36 | 3m | 16mm | (10) 80 | 8803005 387044 |
| PER59 | 5m | 19mm | (10) 40 | 8803005 387846 |
| PER55 | 5m | 25mm | (10) 40 | 8803005 388645 |
| PER85 | 8m | 25mm | (10) 40 | 8803005 389147 |
| PER105 | 10m | 25mm | (10) 40 | 8803005 389444 |

ECO CHROME



- Ergonomically designed chrome case
- Superior internal mechanism provides smooth operation

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| PCE36 | 3m | 16mm | 30 | 8803005 387006 |
| PCE59 | 5m | 19mm | 30 | 8803005 387808 |
| PCE85 | 8m | 25mm | (12) 24 | 8803005 389109 |

ECO



- Ergonomic case for comfortable grip
- Superior internal mechanism provides smooth operation

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| PEN36 | 3m | 16mm | 30 | 8803005 387020 |
| PEN59 | 5m | 19mm | 30 | 8803005 387822 |
| PEN85 | 8m | 25mm | (12) 24 | 8803005 389123 |

PRO ERGO-C



- Nylon coating helps the scale last longer
- Ergonomically designed chrome case
- Superior internal mechanism provides smooth operation

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|---------|-------|---------|----------------|
| PEC36 | 3m | 16mm | (10) 80 | 8803005 747008 |
| PEC59 | 5m | 19mm | (10) 40 | 8803005 747800 |
| PEC85 | 8m | 25mm | (10) 40 | 8803005 749101 |
| PEC105 | 10m | 25mm | (10) 40 | 8803005 749408 |
| PEC59E | 5m/16ft | 19mm | (10) 40 | 8803005 747824 |
| PEC85E | 8m/26ft | 25mm | (10) 40 | 8803005 749125 |

PRO ERGO



- Nylon coating helps the scale last longer
- Bottom button to pause the blade in use
- Superior internal mechanism provides smooth operation

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| PE26 | 2m | 16mm | (10) 80 | 8803005 746919 |
| PE36 | 3m | 16mm | (10) 80 | 8803005 747015 |
| PE59 | 5m | 19mm | (10) 40 | 8803005 747817 |
| PE55 | 5m | 25mm | (10) 40 | 8803005 748616 |
| PE85 | 8m | 25mm | (10) 40 | 8803005 749118 |
| PE105 | 10m | 25mm | (10) 40 | 8803005 749415 |

GRIPPER



- Impact-absorbing rubber jacket protects the case and tip
- Suitable for use in both hot and cold weather conditions

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| PG36 | 3m | 16mm | (10) 80 | 8803005 267001 |
| PG59 | 5m | 19mm | (10) 40 | 8803005 267803 |
| PG55 | 5m | 25mm | (10) 40 | 8803005 268602 |
| PG85 | 8m | 25mm | (10) 40 | 8803005 269104 |

COMBI PRO



- Nylon coating helps the scale last longer
- Ergonomic case for comfortable grip
- Superior internal mechanism provides smooth operation

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| PCP55 | 5m | 25mm | (10) 40 | 8803005 258696 |

HANDY



- Compact design fits nicely in hand
- Superior internal mechanism provides smooth operation

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| PH23 | 2m | 13mm | (10) 80 | 8803005 214609 |
| PH36 | 3m | 16mm | (10) 40 | 8803005 217006 |
| PH56 | 5m | 16mm | (10) 40 | 8803005 217303 |

PRO XT



- 0.135mm Thickness of blade (Raw material)
- Superior straightness & standout
- Nylon coating helps the scale last longer

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| MPLT55 | 5m | 25mm | (10) 40 | 8803005 001483 |



SELF LOCK TAPES

SELF LOCK EVOLUTION



- High-visibility blade for easy reading with double-sided scale printing
- Automatic blade lock, push button retrieval
- Magnetic tip for one person measurement

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| PSE36 | 3m | 16mm | (10) 80 | 8803005 867003 |
| PSE59 | 5m | 19mm | (10) 40 | 8803005 867805 |
| PSE55 | 5m | 25mm | (10) 40 | 8803005 868611 |
| PSE85 | 8m | 25mm | (10) 40 | 8803005 869106 |

SELF LOCK



- Nylon coating helps the scale last longer
- Automatic blade lock, push button retrieval
- Ergonomically designed case provides easy to hold grip

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|--------|----------------|
| PS36 | 3m | 16mm | (6) 48 | 8803005 367008 |
| PS59 | 5m | 19mm | (6) 48 | 8803005 367800 |
| PS55 | 5m | 25mm | (5) 40 | 8803005 368609 |
| PS85 | 8m | 25mm | (5) 40 | 8803005 369101 |



SPECIAL TAPES

LED LIGHT

- Powerful built-in LED light
- Conveniently positioned power button
- USB charging cable is included



| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|--------|----------------|
| PLD85 | 8m | 25mm | (4) 24 | 8803005 002039 |



STAINLESS STEEL TAPES

INOX POWERBLADE II



- Stainless steel for improved rust resistance
- Powerblade for maximized blade durability
- Double-sided scale for precise marking

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|--------|----------------|
| IPT57 | 5m | 27mm | (8) 32 | 8803005 879525 |
| IPT87 | 8m | 27mm | (8) 32 | 8803005 879631 |

INOX RUBBER



- Stainless steel for improved rust resistance
- Nylon coating helps the scale last longer
- Impact absorbing rubber protects case and button

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| IR36 | 3m | 16mm | (10) 40 | 8803005 327057 |
| IR59 | 5m | 19mm | (10) 40 | 8803005 327859 |
| IR55 | 5m | 25mm | (10) 40 | 8803005 328658 |
| IR85 | 8m | 25mm | (10) 40 | 8803005 329150 |

READY FOR BETTER MEASUREMENTS?

Tape measures are Komelon's core specialty. With decades of innovation and precision engineering, we've become a trusted leader in measuring tools.



LONG TAPES

Komelon long tape measures are designed for accuracy over extended distances, making them ideal for construction, landscaping, and surveying work.



With durable materials and smooth handling, we offer reliable performance in demanding environments and help you measure large areas with ease.

Click on any product from the sub-categories below to jump directly to the product you're looking for.

Long Steel Tapes



Contractor-LT



Unigrip



Fastback Ergo



Unigrip Ergo



Unigrip Swing

Long Fiberglass Tapes





Unigrip FLX



Unigrip Neo

LONG STEEL TAPES

ZERO TYPE



II CE
 Our tapes have
 Class II accuracy.

CONTRACTOR - LT



- 3x Faster rewinder
- Built-in blade cleaner
- Magnetic mount & hook
- Ground stake included

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|----------|--------|-------|-------|----------------|
| LFP30/ER | 30m | 13mm | (1) 5 | 8803005 002503 |
| LFP50/ER | 50m | 13mm | (1) 5 | 8803005 002510 |

UNIGRIP



- Heavy duty ABS frame withstands extreme conditions
- Shock absorbing rubber bumpers
- Nylon coating helps the scale last longer

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|-------|----------------|
| LU30/A | 30m | 13mm | (1) 5 | 8803005 165734 |
| LU50/A | 50m | 13mm | (1) 5 | 8803005 165932 |
| LU30/G | 30m | 13mm | (1) 5 | 8803005 165758 |
| LU50/G | 50m | 13mm | (1) 5 | 8803005 165956 |
| LU30/E | 30m | 13mm | (1) 5 | 8803005 165741 |
| LU50/E | 50m | 13mm | (1) 5 | 8803005 165949 |

FASTBACK ERGO



- High speed gear saves time
- Compact & ergonomic case provides comfortable grip
- Nylon coating helps the scale last longer

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|---------|--------|-------|--------|----------------|
| LFR20/A | 20m | 10mm | (6) 24 | 8803005 923303 |
| LFR30/A | 30m | 10mm | (6) 24 | 8803005 923600 |
| LFR20/H | 20m | 10mm | (6) 24 | 8803005 923334 |
| LFR30/H | 30m | 10mm | (6) 24 | 8803005 923631 |

UNIGRIP ERGO



- Comfortable rubber grip fits well in hand
- Folding rewind crank provides fast blade retrieval
- Nylon coating helps the scale last longer

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|---------|--------|-------|--------|----------------|
| LUR20/A | 20m | 10mm | (6) 24 | 8803005 903329 |
| LUR30/A | 30m | 10mm | (6) 24 | 8803005 903626 |
| LUR20/E | 20m | 10mm | (6) 24 | 8803005 903336 |
| LUR30/E | 30m | 10mm | (6) 24 | 8803005 903633 |

UNIGRIP SWING







- Long winding handle for easy blade retrieval
- Comfortable grip fits well in hand
- Beltclip for convenient use

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|---------|--------|-------|--------|----------------|
| LUG10/A | 10m | 10mm | (6) 24 | 8803005 912918 |
| LUG20/A | 20m | 10mm | (6) 24 | 8803005 913311 |
| LUG30/A | 30m | 10mm | (6) 24 | 8803005 913618 |
| LUG10/E | 10m | 10mm | (6) 24 | 8803005 912925 |
| LUG20/E | 20m | 10mm | (6) 24 | 8803005 913328 |
| LUG30/E | 30m | 10mm | (6) 24 | 8803005 913625 |

LONG FIBERGLASS TAPES

ZERO TYPE



Our tapes have Class II accuracy.

UNIGRIP FLX



- Komelon double-coated fiberglass guarantees lifetime use
- Komelon fiberglass withstands highest tensile strength
- Shock absorbing rubber bumpers

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|---------|--------|-------|-------|----------------|
| FU30/A | 30m | 13mm | (1) 5 | 8803005 165772 |
| FU50/A | 50m | 13mm | (1) 5 | 8803005 165970 |
| FU100/A | 100m | 13mm | (1) 5 | 8803005 166670 |
| FU30/G | 30m | 13mm | (1) 5 | 8803005 165796 |
| FU50/G | 50m | 13mm | (1) 5 | 8803005 165994 |
| FU100/G | 100m | 13mm | (1) 5 | 8803005 166694 |
| FU30/E | 30m | 13mm | (1) 5 | 8803005 165789 |
| FU50/E | 50m | 13mm | (1) 5 | 8803005 165987 |
| FU100/E | 100m | 13mm | (1) 5 | 8803005 166687 |

UNIGRIP NEO



- Komelon double-coated fiberglass guarantees lifetime use
- Folding rewind crank provides fast blade retrieval
- Compact case fits well in hand

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|---------|--------|-------|--------|----------------|
| FUN10/A | 10m | 13mm | (6) 24 | 8803005 335113 |
| FUN20/A | 20m | 13mm | (6) 24 | 8803005 335519 |
| FUN30/A | 30m | 13mm | (6) 24 | 8803005 335717 |
| FUN50/A | 50m | 13mm | (6) 24 | 8803005 335915 |
| FUN10/E | 10m | 13mm | (6) 24 | 8803005 335120 |
| FUN20/E | 20m | 13mm | (6) 24 | 8803005 335526 |
| FUN30/E | 30m | 13mm | (6) 24 | 8803005 335724 |
| FUN50/E | 50m | 13mm | (6) 24 | 8803005 335922 |
| FUN10/G | 10m | 13mm | (6) 24 | 8803005 335137 |
| FUN20/G | 20m | 13mm | (6) 24 | 8803005 335533 |
| FUN30/G | 30m | 13mm | (6) 24 | 8803005 335731 |
| FUN50/G | 50m | 13mm | (6) 24 | 8803005 335939 |



CUTTER KNIVES

Our knives are designed for precision, control and everyday durability. With sharp, reliable blades and ergonomic handles, they deliver smooth, accurate cuts across a wide range of materials.



We offer cutter knives that combine safety, comfort and performance. Built to last, they're the perfect addition to any toolkit.

Click on any product from the sub-categories below to jump directly to the product you're looking for.

Auto Lock



SMI-A4



SBN-A4



LNB-A5



LRG-A5



LDB-A5



HRG-A7

Wheel Lock



SNP-W4



LNB-W5



LRG-W5



HNB-W7



HRG-W7

Safety Lock / Auto retraction



UNB-S6

Folding Knife / Scraper



UDS-N6

Spare Blades



SB4-10



LB5-10



HB7-10



LU6-10E



LU6-10J

AUTO LOCK

SMI-A4



- Portable clip type end cap
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide

| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| SMI-A4 | 9mm | 13 | (10) 120 | 8803005 001391 |

SNB-A4



- Smooth autolock button
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide

| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| SNB-A4 | 9mm | 13 | (10) 120 | 8803005 001407 |

LNB-A5



- Ergonomic grip fits comfortably in hand
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide

| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| LNB-A5 | 18mm | 8 | (10) 120 | 8803005 001421 |

LRG-A5



- Ergonomic grip fits comfortably in hand
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide

| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| LRG-A5 | 18mm | 8 | (10) 120 | 8803005 001438 |

LDB-A5



- Aluminum diecasting body
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide

| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| LDB-A5 | 18mm | 8 | (10) 120 | 8803005 001414 |

HRG-A7



- Strong and sharp SK2Cr4 blade
- Ergonomic grip fits comfortably in hand
- High strength stainless steel guide

| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|--------|----------------|
| HRG-A7 | 25mm | 7 | (6) 72 | 8803005 001452 |



WHEEL LOCK

SNP-W4



- Firm metal wheel lock
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide



| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| SNP-W4 | 9mm | 13 | (10) 120 | 8803005 001384 |



LNB-W5



- Ergonomic grip fits comfortably in hand
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide



| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| LNB-W5 | 18mm | 8 | (10) 120 | 8803005 002183 |



LRG-W5



- Ergonomic grip fits comfortably in hand
- Strong and sharp SK2Cr4 blade
- High strength stainless steel guide



| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| LRG-W5 | 18mm | 8 | (10) 120 | 8803005 001445 |



HNB-W7



- Strong and sharp SK2Cr4 blade
- Firm wheel lock
- High strength stainless steel guide



| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|--------|----------------|
| HNB-W7 | 25mm | 7 | (6) 72 | 8803005 001469 |



HRG-W7



- Strong and sharp SK2Cr4 blade
- Ergonomic grip fits comfortably in hand
- High strength stainless steel guide



| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|--------|----------------|
| HRG-W7 | 25mm | 7 | (6) 72 | 8803005 002794 |




SAFETY LOCK / AUTO RETRACTION

UNB-S6



- Auto retraction safety knife
- Strong and sharp SK2 blade
- Safety lock



| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| UNB-S6 | 19mm | - | (10) 120 | 8803005 003241 |

FOLDING KNIFE / SCRAPER

UDS-N6



- 2 in 1 Tool
- TPR Yellow body
- Strong and sharp SK2 blade
- High strength stainless steel guide




| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|-----|---------------|
| UDS-N6 | 19mm | 2 | 10 | 8803005003838 |




SPARE BLADES

SB4-10




- Strong and sharp SK2Cr4 blade
- Replacement of 9mm Blade
- Blade nodes – 13




| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|--------------|----------------|
| SB4-10 | 9mm | 13 | (10/100) 400 | 8803005 002275 |



LB5-10




- Strong and sharp SK2Cr4 blade
- Replacement of 18mm Blade
- Blade nodes – 8




| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| LB5-10 | 18mm | 8 | (10) 200 | 8803005 002282 |



HB7-10



- Strong and sharp SK2Cr4 blade
- Replacement of 25mm Blade
- Blade nodes – 7



| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|--------|------|-------------|----------|----------------|
| HB7-10 | 25mm | 7 | (10) 100 | 8803005 002299 |



LU6-10E



- Strong and sharp SK2 blade
- Replacement of 19mm Blade
- Replacement blade for UNB-S6



| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|---------|------|-------------|----------|----------------|
| LU6-10E | 19mm | 1 | (20) 300 | 8803005 003258 |



LU6-10J



- Replacement blades for UDS-N6
- Strong and sharp SK2 blade
- Replacement of 19mm blade

| ITEM # | SIZE | BLADE NODES | QTY | EAN-CODE |
|---------|------|-------------|-----|---------------|
| LU6-10J | 19mm | 1 | 10 | 8803005003821 |



SAWS

Our saws are designed for sharp, smooth and reliable performance on every job. With ergonomic handles and quality blades, they make sawing easier and more controlled.



From general-purpose work to more precise tasks, we offer saws that balance durability and comfort. Whatever the project, you can count on consistent results and a tool that's built to last.

Click on any product from the sub-categories below to jump directly to the product you're looking for.

Hand Pruning Saws



FB-Series Saws



FC-Series Saws



CWC-Series Saws



PWC-Series Saws

Pole Pruning Saws



CPR-Series Saws



CPS-Series Saws



CPK-Series Saws



CPF-Series Saws

Special Saws



Carpenter Saw



Pipe Saw



Jab Saw

Telescopic Aluminium Pole Saws



Pole Saw Telescopic Pole

TECH INFORMATION



Rust-resistant hard-chromed blade made of high carbon steel.



Ultra high frequency heated teeth are hardened, which increases the durability of the saw's cutting edge.



Tapered blade provides a smoother, faster cutting performance with the least amount of harm to the cut branch.



Tri-Edge delivers clean and smooth cuts without scratching the surface.



Replacement blades available.



Replacement blades only

HAND PRUNING SAWS

FB SERIES



REPLACEMENT BLADE ONLY

| ITEM # | LENGTH | TPI | PITCH | QTY |
|---------|---------------|-----|---------------|---------|
| FB-180 | 7" / 180 mm | 6.5 | 0.157" / 4 mm | (4) 24 |
| FB-210 | 8" / 210 mm | 6.5 | 0.157" / 4 mm | (4) 24 |
| FB-240 | 9-½" / 240 mm | 6.5 | 0.157" / 4 mm | (4) 24 |
| FB-180B | 7" / 180 mm | 6.5 | 0.157" / 4 mm | (20) 80 |
| FB-210B | 8" / 210 mm | 6.5 | 0.157" / 4 mm | (20) 80 |
| FB-240B | 9-½" / 240 mm | 6.5 | 0.157" / 4 mm | (20) 80 |

FC SERIES



REPLACEMENT BLADE ONLY

| ITEM # | LENGTH | TPI | PITCH | QTY |
|---------|----------|-----|------------|---------|
| FC-180 | 7"/180mm | 6.5 | 0.157"/4mm | (4) 24 |
| FC-210 | 8"/210mm | 6.5 | 0.157"/4mm | (4) 24 |
| FC-180B | 7"/180mm | 6.5 | 0.157"/4mm | (20) 80 |
| FC-210B | 8"/210mm | 6.5 | 0.157"/4mm | (20) 80 |

CWC SERIES



REPLACEMENT BLADE ONLY

| ITEM # | LENGTH | TPI | PITCH | QTY |
|---------|-----------|-----|------------|---------|
| CWC-330 | 13"/330mm | 6.5 | 0.157"/4mm | (4) 24 |
| CW-330B | 13"/330mm | 6.5 | 0.157"/4mm | (20) 80 |

PWC SERIES



REPLACEMENT BLADE ONLY


| ITEM # | LENGTH | TPI | PITCH | QTY |
|---------|-------------|-----|------------|---------|
| PWC-210 | 8"/210mm | 6.5 | 0.157"/4mm | (4) 24 |
| PWC-240 | 9-½"/240mm | 6.5 | 0.157"/4mm | (4) 24 |
| PWC-270 | 10-½"/270mm | 6.5 | 0.157"/4mm | (4) 24 |
| PWC-300 | 12"/300mm | 6.5 | 0.157"/4mm | (4) 24 |
| PWC-350 | 14"/350mm | 6.5 | 0.157"/4mm | (4) 24 |
| PW-210B | 8"/210mm | 6.5 | 0.157"/4mm | (20) 80 |
| PW-240B | 9-½"/240mm | 6.5 | 0.157"/4mm | (20) 80 |
| PW-270B | 10-½"/270mm | 6.5 | 0.157"/4mm | (20) 80 |
| PW-300B | 12"/300mm | 6.5 | 0.157"/4mm | (20) 80 |
| PW-350B | 14"/350mm | 6.5 | 0.157"/4mm | (20) 80 |




POLE PRUNING SAWS

CPR SERIES


 REPLACEMENT BLADE ONLY

| ITEM # | LENGTH | TPI | PITCH | QTY |
|--|-----------|-----|------------|---------|
| CPR-330 | 13"/330mm | 6.5 | 0.157"/4mm | (4) 24 |
|  CPR-330B | 13"/330mm | 6.5 | 0.157"/4mm | (20) 80 |



CPS SERIES


 REPLACEMENT BLADE ONLY

| ITEM # | LENGTH | TPI | PITCH | QTY |
|--|-----------|-----|------------|---------|
| CPS-330 | 13"/330mm | 6.5 | 0.157"/4mm | (4) 24 |
|  CPS-330B | 13"/330mm | 6.5 | 0.157"/4mm | (20) 80 |



CPK SERIES

 REPLACEMENT BLADE ONLY

| ITEM # | LENGTH | TPI | PITCH | QTY |
|--|-----------|-----|------------|---------|
| CPK-330 | 13"/330mm | 6.5 | 0.157"/4mm | (10) 60 |
|  CPK-330B | 13"/330mm | 6.5 | 0.157"/4mm | - |



CPF SERIES



REPLACEMENT BLADE ONLY

| ITEM # | LENGTH | TPI | PITCH | QTY |
|----------|------------|-----|------------|---------|
| CPF-360 | 14¼"/360mm | 6.5 | 0.157"/4mm | (10) 60 |
| CPF-360B | 14¼"/360mm | 6.5 | 0.157"/4mm | - |

READY FOR CLEANER CUTS?

Komelon saws are engineered for speed, control, and durability. Precision-ground teeth and ergonomic handles deliver smooth, accurate cuts **every time**.



SPECIAL SAWS

CARPENTER SAW



REPLACEMENT BLADE ONLY

| ITEM # | LENGTH | TPI | PITCH | QTY |
|-----------------------------------|------------------|------|------------------|----------|
| OT-265 | 10-1/2" / 265 mm | 14.5 | 0.068" / 1.75 mm | (6) 24 |
| REPLACEMENT BLADE ONLY OT-265B | 10-1/2" / 265 mm | 14.5 | 0.068" / 1.75 mm | (20) 120 |

PIPE SAW



REPLACEMENT BLADE ONLY

| ITEM # | LENGTH | TPI | PITCH | QTY |
|-----------------------------------|-----------------|-----|-----------------|----------|
| OT-240 | 9-1/2" / 240 mm | 17 | 0.059" / 1.5 mm | (6) 24 |
| REPLACEMENT BLADE ONLY OT-240B | 9-1/2" / 240 mm | 17 | 0.059" / 1.5 mm | (20) 120 |

JAB SAW



REPLACEMENT BLADE ONLY

| ITEM # | LENGTH | TPI | PITCH | QTY |
|-----------------------------------|----------------|-----|--------------|----------|
| OJ-210 | 8-1/3" / 210mm | 13 | 0.078" / 2mm | (6) 48 |
| REPLACEMENT BLADE ONLY OJ-210B | 8-1/3" / 210mm | 13 | 0.078" / 2mm | (60) 120 |

TELESCOPIC ALUMINIUM POLE SAWS

POLE SAW TELESCOPIC POLE

- Aluminium telescopic extendable pole for overhead reach
- Curved, replaceable saw blade for efficient pull-cutting
- For pruning tree branches and shrubs
- For professional gardening, landscaping and orchard work

| ITEM # | LENGTH STEEL | LENGTH BLADE | TPI | QTY | EAN-CODE |
|---------|--------------|--------------|-----|-------|---------------|
| HPP-243 | 1.6m - 2.7m | 360mm | 6.5 | (6) 6 | 8803005001759 |
| HPP-503 | 2.3m - 5.3m | 360mm | 6.5 | (6) 6 | 8803005001742 |



MEASURING WHEELS

Our measuring wheels deliver fast, accurate distance measurements. With durable materials and easy-read displays, they operate smoothly across a variety of surfaces.



Ideal for construction, landscaping and surveying, our measuring wheels are designed for reliability and ease of use. Wherever distance matters, Komelon delivers consistent results.

Click on any product from the sub-categories below to jump directly to the product you're looking for.

Single Wheel

MW12M



MW18M



MW31

SINGLE WHEEL

MW12M



- Adjustable twist and lock handle
- Non-slip tread for improved traction
- Magnifying lens for improved readability
- Accurate gear driven counter with push button reset

| ITEM # | | | MIN | MAX | QTY | UNIT |
|--------|------|------|------|---------|-------|----------|
| MW12M | 31cm | 10cm | 10cm | 10,000m | (2) 8 | Meter/DM |

MW18M



- Adjustable twist and lock handle
- Non-slip tread for improved traction
- Magnifying lens for improved readability
- Accurate gear driven counter with push button reset

| ITEM # | | | MIN | MAX | QTY | UNIT |
|--------|------|------|------|---------|-------|----------|
| MW18M | 45cm | 14cm | 10cm | 10,000m | (2) 8 | Meter/DM |

EFFORTLESS MEASURING



Our measuring wheels are built to give you accurate results with minimal effort. They're sturdy, easy to use, and designed to perform well on different surfaces.



MK31M



- Comfortable pistol grip
- Adjustable twist and lock handle
- Non-slip tread for improved traction
- Magnifying lens for improved readability
- Accurate gear driven counter with push button reset
- Spring loaded foldable kickstand moulded into counter housing

| ITEM # |  |  | MIN | MAX | QTY | UNIT |
|--------|---|---|------|---------|-------|----------|
| MW31M | 79cm | 25cm | 10cm | 10,000m | (1) 2 | Meter/DM |



OTHER

This category includes a range of practical tools that complement Komelon's main product offering.



Versatile accessories designed to add convenience and support across various measuring and general tasks.


QUICKDRAW PRO



- Universal tape measure holster
- Belt holder feature allows for tape measure to firmly stay on the belt

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|--------|----------------|
| QD-PRO | - | - | (6) 48 | 8803005 003708 |

FLAT TAPE



- Flat steel measuring tape with adhesive back
- Apply to any clean flat surface

| ITEM # | LENGTH | WIDTH | QTY | EAN-CODE |
|--------|--------|-------|---------|----------------|
| FLT13 | 1m | 13mm | (10) 80 | 8803005 002084 |
| FLT23 | 2m | 13mm | (10) 80 | 8803005 002091 |
| FLT33 | 3m | 13mm | (10) 80 | 8803005 002107 |

RULERS



- Komelon stainless steel ruler
- Etched scale division (wear-resistant)
- Millimeter division on top edge
- 0,5-Millimeter division on bottom edge
- Reverse side features several conversion tables

| Item Code | Length | Width | Qty | EAN-CODE |
|-----------|--------|-------|----------|---------------|
| SP300 | 300mm | 25mm | (50) 300 | 8803005040116 |
| SP600 | 600mm | 25mm | (10) 50 | 8803005040123 |



www.komelon.eu



Have any questions? Get in touch.

KOMELON Distribution Center Europe
Maaskade 20, 5347 KD Oss, The Netherlands

Tel: +31 (0)412 760898

E-mail: info@komelon.eu

[CONTACT US](#)

[OUR WEBSITE](#)

[FOLLOW ON LINKEDIN](#)